

abate[®]

INTERIOR IDEAS

100% WATERPROOF SPC FLOORING

VOC FREE






THE PERFECT FLOOR, DESIGNED TO LAST A LIFETIME!

Experience exceptional quality in every step you take on our SPC flooring.

Wide range of ultra realistic wood grains and colours available to match every imaginable design theme.

INSTALLATION: Click system ensures ease of installation, seamless joints and unrivalled clipping strength



WHERE BE USED:

Apartment, Hospital, School, Hotel, Restaurant, Stadium etc. Can be installed directly at the present ceramic tiles, marble, granite and so on





CODE:9001 SIZE:1220x180x3.5mm



CODE:9002 SIZE:1220x180x3.5mm



CODE:9003 SIZE:1220x180x3.5mm

100% WATERPROOF SPC FLOORING



CODE:9004 SIZE:1220x180x3.5mm



CODE:9005 SIZE:1220x180x3.5mm



CODE:9006 SIZE:1220x180x3.5mm




CODE:9007 SIZE:1220x180x3.5mm



CODE:9008 SIZE:1220x180x3.5mm

SPC STRUCTURE



100% Waterproof

Suitable for wet areas like Kitchen or Pantry

Easy to install

Flexibility for design customizations

High Slip Resistance

Safest flooring option for the young/elderly

Zero VOC and Formaldehyde Emissions

Ideal flooring for the Health-Conscious

Technical Specifications

CHARACTERISTICS	TEST METHOD	RESULT
Surface treatment		UV
Dimension	EN427	3.5mm*180mm*1220mm
Dimension stability	ISO23999:2008	Shrinkage≤0.07%, curling≤1mm
Overall Thickness	EN428	5.0mm
Dynamic coefficient of friction	EN 14041:2004/AC:2006	Passed
Formaldehyde Emission	EN717-1:2004	Passed
Water tightness test	EN14041:2004/AC:2006 & EN13553:2017 Annex A	Passed
Fire classification	EN 13501-1:2007+A1:2009	Class Bfl
Thermal conductivity	EN 14041:2004/AC:2006 & EN12667:2006	Passed
Phthalates content	EN 71-3:2013+A2:2017	Passed
VOC	ASTM Standard D 5116-06 and ISO 16000-9:2011	Passed
Airborne sound transmission loss	ASTM E90-09/ASTM E413-10	Passed
Impact insulation class	ASTM E989-06(2012)	Passed
Resistance to staining	ISO 26987:2008	Not affected
Effect of a castor chair	ISO 4918:2016	No visible damage
Pentachlorophenol(PCP)	EN14041:2004 ANNEX B & EN 12673:1999	Not Detected